







TACKDRIVER CARBON DT

ITEM: DR2964

Constructed with a lightweight aluminum alloy frame and carbon fiber arm, the Tackdriver DT Black Series 5-Pin Dovetail Bow Sight boasts an integrated sight level, crisp .010 pins, and fiber housing for low-light visibility. Windage and elevation adjustability allow for fine-tuning for increased precision.

- Precision machined 6061 CNC aluminum alloy frame
- · Lightweight carbon fiber arm
- · Tool-free locking windage and elevation adjustments
- Five micro-adjustable .010 pins
- Fiber housing system for increased light to pins
- · Glowing aperture for perfect sight alignment in low light conditions
- Rechargeable sight light
- **Built-in sight level**
- Micro-adjustable 2nd and 3rd axis
- · 6" and 9" carbon extension arms available



TACKDIVER PICATINNY

ITEM: DR2971

Designed to mount directly to a Picatinny rail system, the Tackdriver Picatinny Black Series 5-Pin Bow Sight offers shooters maximum adjustability with windage and elevation adjustments. An integrated sight level, .010 sight pins, a fiber housing, and rechargeable pin light allow for visibility and accuracy, even in low-light situations.

- · Picatinny rail system mount
- · Precision machined 6061 CNC aluminum alloy frame
- · Tool-free locking windage and elevation adjustments
- Five adjustable .010 pins
- · Fiber housing system for increased light to pins
- · Glowing aperture for perfect sight alignment in low light conditions
- · Rechargeable sight light
- **Built-in sight level**



TACKDRIVER

- Universal mount system
- · Dead Ringer micro adjustable sight
- Five .029 pins
- Tool-free locking windage and elevation adjustments
- · Glowing aperture for perfect sight alignment in low light conditions
- Includes sight light
- **Built-in sight level**



STARVATION BEAD

ITEM: DR2658

- · Universal mount system
- · Right-handed
- · Five .029 pins, top pin glows in the dark
- · Glowing aperture for perfect sight alignment in low light conditions
- · Includes sight light
- · Built-in sight level




QUICK DRAW

ITEM: DR2988

- · Universal system mount
- Precision machined 6061 CNC aluminum alloy frame
- · Tool-free locking windage and elevation adjustments
- 5 micro-adjustable .010 pins
- · Fiber housing system for increased light to pins
- · Glowing aperture for perfect sight alignment in low light conditions
- · Rechargeable sight light
- · Built-in sight level

THE WHE

- · Universal mount system
- · Four .019 pins, top pin glows in complete darkness
- · Glowing aperture for perfect sight alignment in low light conditions
- · Tool-free locking windage and elevation adjustments
- · Bottom pin adjusts from 40-100 yards with turn of a dial
- Includes calibrated sight tapes
- · Includes sight light
- · Built-in sight level



THE GREAT WHITE

ITEM: DR8338 100/125 GRAIN

The Predator of Broadheads. The hybrid design cuts on contact for a 1" entrance wound and a devastating 2.5" exit wound. Boasting fieldtip accuracy, The Great White is designed for optimal performance on the fastest vertical bows and crossbows. Included is a brass alignment collar that adds .25 grains of weight to make a 125-grain, or it can be REMOVED for a 100-grain weight.

- 100/125 Grain adjustable with included weighted collar
- · Verticle and crossbows up to 600 fps
- Hybrid design with 1" entrance and 2 1/2" exit wound

THE STINGRAY

ITEM: DR8673 100 GRAIN

Uniquely engineered so each blade is independent of the other, The Stingray maneuvers around bone for the ultimate penetration. The broadhead cuts on contact and leaves a massive 2" wound channel. The Stingray flies like a field point for reliable performance.

- Carbon steel ferrule
- 2" Blade width
- Field-tip accuracy
- Compatible with vertical bows and crossbows up to 400 fps



THE HATCHET

ITEM: DR8468 100 GRAIN 3PK

The design of the Hatchet mechanical broadhead provides a 2" entrance wound and a 2" wide channel through to the exit hole. The 2" surgical cut of the rear deploying Hatchet will ensure a short blood trail and fast recovery of game. The Hatchet is CNC machined out of carbon steel. Clipless retention system holds blades in place until impact.

- 100 Grain two-blade mechanical
- Rear-Deploy 2" entry with a 2" exit
- Stainless steel razor sharp blades
- Fixed or mechanical design
- **CNC** carbon steel construction
- Up to 450 fps







SUPER FREAK™

ITEM: DR5207 100 GRAIN 3PK

Super Freak mechanical broadhead for bows and crossbows is unique in the industry. With a 3/4" entry cut and a rear deploy of 21/4" finishing cut this broadhead will put down prey in short order.

- 100 Grain two-blade mechanical front-deploy design
- 3/4" entry with a 21/4" exit wound
- · Stainless steel razor sharp blades
- Aluminum ferrule
- Up to 500 fps

THE JUST NASTY 2.0

ITEM: DR8352 100/125 GRAIN

Featuring adjustable speed grooves, the hybrid Just Nasty 2.0 allows for firing from the fastest vertical bows and crossbows. The carbon steel broadhead creates a massive wound channel, cutting 3/4" on contact and deploying for a 2" exit wound.

- · Carbon steel ferrule
- Hybrid design with 3/4" entrance would and 2" exit wound
- Field-tip accuracy
- Compatible with vertical bows and crossbows up to 600 fps

THE NASTY

ITEM: DR5415 100 GRAIN

The Nasty broadhead is a hybrid design that enters as a 1" entry hole to a 2" exit hole. This design leaves a massive exit wound! The 2-blade SBT blade retention system allows the broadhead to switch from FIXED to MECHANICAL for archery and crossbows.

- 100 Grain two-blade hybrid fixed or mechanical design
- 1" entry with a 2" exit wound
- Front-Deploy broadhead design
- · Stainless steel razor sharp blades and aluminum ferrule
- Up to 450 fps



ITEM: DR5422 100 GRAIN

The Freak Nasty broadhead is a 3-bladed hybrid design that enters as a 1" entry hole to a 2" exit hole. The three-bladed design leaves a massive exit wound! The 3-blade SBT blade retention system allows the broadhead to switch from FIXED to MECHANICAL.

- 100 Grain three-blade hybrid fixed or mechanical design
- 1" entry with a 2" exit wound
- Front-Deploy broadhead design
- Stainless steel razor sharp blade and aluminum ferrule
- Up to 450 fps

FIXED BLADES



3PK ITEM: DR5378 100 GRAIN

Get out the cutting block. The big, fixed stainless steel 2-blade design with bleeders are sure to put meat on the table. THE BUTCHER arrowhead is great for both low and high-kinetic energy crossbow and archery setups. The ferrule is made of high-grade aluminum and designed for the perfect flight.

- 100 Grain 4-blade
- 0.925" Cutting width with 1.608" of total cutting surface
- · Razor-sharp stainless-steel blades
- · High-grade aluminum ferrule
- · Blades can be re-sharpened



ITEM: DR5385 100 GRAIN 3PK

The Surgeon broadhead is designed to create a wound that can't be repaired. This is designed to take abuse and can be re-sharpened over and over. The Surgeon is one of the latest and greatest fixed 3-blade designs to hit the market.

- 1 1/16" Cutting diameter
- One-piece carbon steel construction
- · Blades can be re-sharpened



ITEM: DR5392 100 GRAIN

The 3-blade HYPER STRIKE™ broadhead for bows and crossbows is designed to shatter bone and create a path of devastation. Create a path of devastation and get unbelievable penetration that your prey can't run away from!

- 100 Grain 3 blade stainless steel blades
- 1 1/8" Cutting diameter
- Razor-sharp blades
- Aluminum ferrule for durability
- **Economical and devastating**



PSD

ITEM: DR8277 3PK

The PSD (Pump Station Disconnect) 2-blade, durable steel construction that cuts on contact for more pass-throughs and better blood trails. The bleeder blades on this broadhead are designed to open the wound channel up for an amazing blood trail. Included is a Brass alignment collar that adds .25 grains of weight to make a 125-grain, or it can be REMOVED for a 100-grain weight.

- 100 Grain or 125 grain 4 blade steel blades
- 1 1/8" Cutting diameter
- · Razor-sharp blades
- Steel ferrule for durability
- One piece design

THE TRIPLE ACUTI

ITEM: DR8680 100 GRAIN

Latin for Sharp. The Triple Acuti is a 3-blade fixed blade with a trocar tip. Short profile for bone-breaking devastation. The blades are honed and are extremely sharp to slice without prejudice. Included is a Brass alignment collar that adds .25 grains of weight to make a 125-grain, or it can be REMOVED for a 100-grain weight.

- 100 Grain or 125 Grain 3 Blade Stainless Steel Blades
- 3-blade 1 1/4" cutting diameter
- · Helix blade design for field tip accuracy
- · Razor-Sharp Blades
- · Carbon steel ferrule for durability





JIU JITSU SMALL GAME HEADS

ITEM: DR3013 100 GRAIN 3PK

Spider leg design prevents arrow loss in grass. Designed for small game and stump thump'em practice!



ITEM: DR5408 100 GRAIN 3PK

Want supreme stopping power? The Thumper is designed with field point accuracy to stop any small game animal in its tracks. Excellent for squirrels, rabbits, and other small game species.

· Small game head – blunt force trauma



TARGET POINTS

ITEM: DR3006	5/15"	125 GRAIN	12 PACK
ITEM: DR2771	11/32"	100 GRAIN	12 PACK
ITEM: DR2887	17/64"	100 GRAIN	12 PACK
ITEM: DR2894	5/16"	100 GRAIN	12 PACK
ITEM: DR2870	9/32"	100 GRAIN	12 PACK
ITEM: DR2993	9/32"	85 GRAIN	12 PACK

For easy target extraction, choose a point size that is equal or less than the diameter of your arrow shaft.

Universal fit for all arrow types



XBOW TARGET POINTS

ITEM: DR3129 11/32" 125 GRAIN 6 PACK ITEM: DR3112 11/32" 100 GRAIN 6 PACK


For easy target extraction, choose a point size that is equal or less than the diameter of your bolt shaft.





SOFT BOW CASE

- Zippered accessory pocket with Mossy Oak® Bottomland® camo accents
- · Self-healing zipper
- · Fits bows up to 38" axle to axle
- 42" product case length





- Includes a padded side carrying handle and another web handle at the hood to hang your crossbow in storage
- A 12" x 7" accessory pocket is perfect for holding the essentials
- Product dimensions: 25" x 38" x 9.5"







BLACK SERIES STABILIZER

ITEM: DR2933 6 INCHES ITEM: DR2940 8 INCHES ITEM: DR2957 10 INCHES

Dead Ringer's most advanced stabilizer to date. The Black Series is designed with woven carbon fiber technology for rigidity and with a lightweight small diameter design to reduce weight. Archers can customize the weight by adding or removing discs from the internal designed system for optimal balance. The dampening technology offers the shooter ultimate vibration dampening system.

- Balances your bow for better accuracy
- Includes Quick Disconnect for easy storage and transport
- · High modulus woven carbon fiber for strength and weight reduction
- · Additional weights can be purchased





EQUALIZER SERIES STABILIZER

ITEM: DR2902 6 INCHES
ITEM: DR2919 8 INCHES
ITEM: DR2926 10 INCHES

Equalize your balance and stability with The Equalizer Series by Dead Ringer. Using carbon fiber and dampening technology to reduce weight and vibration.

- · Equalize your bow for better accuracy
- · Includes a Quick Disconnect for easy storage and transport
- · High modulus woven carbon fiber for strength and weight reduction





NUTRALYZER ARROWS

ITEM: DR2490 350 SPINE 6PK
ITEM: DR2506 400 SPINE 6PK
ITEM: DR2513 500 SPINE 6PK

- 6.2 mm arrow diameter
- · High-strength pure carbon construction
- · Compatible with all broadheads
- · Pre-installed vanes + nock inserts
- 5/16" insert system
- · Includes vanes and nocks

ARROWS SPECIFICATIONS

SPINE	BOW POUNDAGE	GRAIN WT./IN	INSIDE DIAMETER	OUTSIDE DIAMETER	STRAIGHTNESS
350	60-75 LBS.	8.7 GR	0.245"	0.297"	+/- 0.006
400	45-60 LBS.	8.0 GR	0.245"	0.293"	+/- 0.006
500	30-50 LBS.	7.2 GR	0.245"	0.287"	+/- 0.006



NUTRALYZER BOLTS

ITEM: DR2520 20-INCH 5PK ITEM: DR2544 22-INCH 5PK

- 7.6 mm bolt diameter
- · High-strength pure carbon construction
- · Compatible with all broadheads
- · Pre-installed nocking system
- 5/16" insert system
- · Includes vanes and nocks

NUTRALYZER BOLTS WITH LIGHTED NOCKS

ITEM: DR2537 20-INCH 3PK

Includes vanes and lighted nocks

BOLT 300-380 SPECIFICATIONS - WITH LIGHTED NOCKS

LENGTH	WEIGHT	INSIDE DIAMETER	OUTSIDE DIAMETER	STRAIGHTNESS
20"	325.6 GR	0.245"	0.299"	+/- 0.006
22"	358.16 GR	0.245"	0.299"	+/- 0.006

BOLT 300-380 SPECIFICATIONS - WITHOUT LIGHTED NOCKS

LENGTH	WEIGHT	INSIDE DIAMETER	OUTSIDE DIAMETER	STRAIGHTNESS
20"	307.08 GR	0.245"	0.299"	+/- 0.006
22"	339.64 GR	0.245"	0.299"	+/- 0.006







PEEP SIGHT

ITEM: DR5682 1/8"
ITEM: DR5729 3/16"
ITEM: DR5736 1/4"

- · Ultralight aluminum construction
- Only 10 grains
- · Multiple installation configurations to work for all bows
- · Black finish is versatile for all indoor and outdoor applications



CROSSBOW & BOW WAX

ITEM: DR2788

- · Lubricates string
- · Reduces friction and prevents wear
- · Prolongs the life of your strings



BONE-A-FIDE ARCHERY TUNING KIT

ITEM: DR2863

- Bow String Wax
- Serving String
- D-Loop
- Peep Sight



WRIST SLING STABILIZER COMBO

ITEM: DR2757

- 5 inch stabilizer dampens noise and vibration
- · Stabilizer weights bow forward for balance
- · Includes wrist sling

BOW FEET

- · Added stability when hunting in blinds
- · Lightweight, easy to install and remove
- · Universal fit for most bows
- · Coated jaws for added grip to the limb



ARROW PULLER

ITEM: DR2924


- · Works on all arrow shafts
- · Made of super grip rubberized material
- · Added clip for pack/quiver attachment



CROSSBOW COCKING ROPE

ITEM: DR2818

- · Designed for use with most crossbows
- Adjustable for all rail lengths
- · Reduces draw weight by 50%
- · Roller glide hooks
- T-handles



STAND UP HUNTING BACKPACK

- · Large capacity
- · EVA waterproof bottom
- · 6 Outside pockets with MOLLE loops
- · Shooting glasses pocket
- · Padded laptop pocket













ARM GUARD

- · Protect your arm
- Bulky clothing won't come in contact with your bow string
- 8 1/2" Black Leather





FINGER TAB

ITEM: DR8512

- · Consistent anchor
- · Durable and accurate
- · Super slick for smooth release
- · Right handed



SIGHT LIGHT

ITEM: DR2931

- · Reduces glare in low light conditions
- · Adjustable rheostat control
- LED Light, batteries included
- Fits sizes: 1/4-28, 3/8-32, 3/8-36, 7/16-20
- · Works on the left and right hand models

OF THE CRINGER

HEX KEY WRENCH SET

ITEM: DR3037

- · 9-piece wrench set
- · Convenient all-in-one style tool

TREE STAND

- 53" overall width
- Mounts to most trees with the included hardware
- Includes storage sack
- · Perfect for shade or blocking rain



ACCU-BEAD

ITEM: DR4379

- · Low profile front sight fits all ribbed shotguns
- · Easy installation with universal mounting system
- · Durable optical lexan light pipe construction
- Includes interchangeable light pipes with Twist Lock Keyway System
- · Optimal in low light conditions



ACCU-BEAD EXTREME

ITEM: DR4393 3PK INCLUDES 1/4", 5/16" and 3/8" SIGHTS

ITEM: DR4416 SINGLE 1/4" SIGHTS
ITEM: DR4423 SINGLE 5/16" SIGHTS
ITEM: DR4447 SINGLE 3/8" SIGHTS

- Strong magnetic front sights with universal screws
- · Safety screw to prevent the front sight from falling off
- · Universal low-profile front sight fits all ribbed shotguns
- · Includes interchangeable light pipes with Twist Lock Keyway System
- · Machined t-6 aircraft-grade aluminum base
- · Great in low lighting conditions



UNI-BEAD

ITEM: DR4386

- · Low profile front sight fits all ribbed shotguns
- · Easy installation with universal mounting system
- Durable optical lexan light pipe construction
- Includes interchangeable light pipes with Twist Lock Keyway System
- · Optimal in low light conditions



PRO-PACK SHOTGUN SIGHT SET

ITEM: DR4409

The ultimate bonus pack contains 5 sights for simultaneous usage, including the Uni-Bead, Accu-Bead, and Accu-Bead Extreme!

- · Universal low-profile front sight fits all ribbed shotguns
- Interchangeable light pipes
- · Machined t-6 aircraft-grade aluminum bases
- · Great in low lighting conditions
- · Strong magnetic (for Accu-Bead Extreme) front sights with universal screws
- · Safety screw (for Accu-Bead Extreme) to prevent front sight from falling off



BEARD BUSTER

ITEM: DR4324

- Turkey's head and neck in circular orange ring indicates a distance of 30-35 yards - effective shotgun kill zone
- Base made of T-6 aircraft-grade aluminum
- · Orange ring molded from optical Lexan with large compass points
- Fully adjustable for windage and elevation
- Promotes correct shooter posture during engagement
- Optimal in low light conditions









DUCK BUSTER

ITEM: DR4317

- Measures lead to target
- T-6 aircraft grade aluminum base
- · Built in leads for easy target acquisition
- Universal front & rear sight system designed for 1/4", 5/16", and 3/8" vented, ribbed shotguns
- Easy installation
- Durable optical lexan light pipe construction
- Includes interchangeable light pipes with Twist Lock Keyway System
- Optimal in low light conditions

KILLER COMBO

ITEM: DR4331

- Beard Buster
- Duck Buster
- · Rear aperture
- · Elevated single pipe front sight
- Two (2) replacement light pipes
- Five (5) different sizes front sight screws
- Three (3) spacer plates for rear sight
- Two (2) metal oval clamps for rear sight
- Allen wrench

DROP BOX

ITEM: DR4454

- Enhances the ability to shoot with both eyes open
- · Designed for cross-eve-dominant shooters
- T-6 aircraft-grade aluminum base
- Mount onto standard vent ribs that are 1/4", 5/16" and 3/8"
- Easy-to-see sight picture
- Two (2) extra front sight inserts (orange and green)

SNAKE EYES G-P 6

- Optical lexan front and rear sight system
- Durable metal construction
- Quick target acquisition in low light
- Easy installation
- · Fits all full-size Glocks®







GREEN DOT ITEM: DR2711 Perfect sight for shotguns and small caliber rifles, most often used by turkey hunters on a shotgun. The sight has unlimited eye relief and is parallax free at 30 yards field of view and can be used with both eyes open for improved situational awareness. • 4 green illuminated reticles to choose from, with an adjustable rheostat brightness control for quick target acquisition Shock and water resistant Field of view at 100 yds. is 51.84 Matte black finish; windage, elevation adjustments; 5/8" diam. tube Power source CR2032 battery, included (40MM

ITEM: DR4852

- · Magnification: 2.5x
- Reticle: metal
- Exit pupil: 7.6mm
- Eye relief inch /mm: 8.66"/220mm
- W/E adjust click value: 1/4 moa @100yds Length inch/mm: 7.28"/185mm
- Weight: 8.64 oz
- Tube diameter: 1"

- Magnification: 3x~9x
- Reticle: metal
- Exit pupil: 8.1~4.1mmEye relief inch /mm: 3.46~2.76/88~70
- W/E adjust click value: 1/4 moa @100ydsLength inch/mm: 12.2/310
- Weight: 12.7 oz
- Tube diameter: 1"







DEADRINGERHUNTING.COM